

The stream of th

OLM solution

The DLM solution that calls of the concern to revealed the rate of the concern to any interest in necess years and the same execution in necess years and any execution in necess years and any execution of any other office are easily as insection of data is possible by the sense revealed. The validity term of "Stamp of Standard and execution of set proved. The validity term of "Stamp of electron made was extended from 5 years.

ScanSnap iX500

- The scanner that intuitively guides you through every step of the scanning process
- Access your documents anywhere and anytime
 - Scan to and view across a range of popular cloud services
 - Wirelessly scan to your PC, Mac, iPad[®]/ iPhone[®], Android[™] and Kindle[™] devices
- A host of automated settings designed for effortless scanning
- Scan your everyday documents from business cards to A4 and even A3
- Scan to: Word, Excel[®], E-mail and SharePoint[®] amongst others
- ScanSnap Cloud takes paper directly to your cloud





shaping tomorrow with you



ScanSnap iX500

Easily digitises various document types




Simple, Speedy & Compact!

Easily digitises paper based data with the touch of one button

The iX500 facilitates simple PDF generation with the following one touch activated automatic settings and automatic image correction functions:

Blank page detection



Colour / Greyscale: 200 dpi Mono: 400 dpi

Speedv

Just place a document in the scanner's paper chute, press the "scan" button, and the iX500 starts scanning right away. Furthermore, the iX500 is able to scan up to 50 two-sided pages at a speedy 25 pages per minute.

Co

Scans everything from business cards to A3 sized documents



ScanSnap Carrier Sheets

Use of a carrier sheet enables iX500 users to digitise larger documents (A3/B4), as well as magazine and newspaper clippings and photographs. Such documents inserted into a carrier sheet can be scanned successively or mixed in with regular paper documents.

Intuitive "Quick Menu" for intelligent and flexible operation

The Quick Menu can be set up to display your 'Favourite' scanning destinations or will 'Recommend' an application; eg. Scan a business card, which will then be automatically recognised and a list of business card related applications will be recommended.

Quick Menu for Windows® OS*



*Quick Menu for Mac OS features other applications

Mone

Generates editable PDF files

- Comes with Nuance PowerPDF, which enables users to move beyond merely "seeing" and "printing" generated data, to editing generated PDF files however they like
- Generates password and digital ID attached PDF files that are ideal for safeguarding personal information and other confidential information that needs to be protected
- Create editable Microsoft[®] Word / Excel[®] / PowerPoint[®] files using ABBYY FineReader for ScanSnap[™]

Efficiently organises business card information

- Scans large volumes of business cards into digital business card holders
- Enables users to enter scanned data into Excel®, Outlook, Salesforce and other databases for future reference

	Business card scanning software
Bundled	CardMinder™

Now make your paper productive

Scan to Word

Scan to PowerPoint®

Scan to Excel®

Scan to SharePoint[®] (Windows only)

Scan to ScanSnap

Scan to iPhone®/ iPad®, Androi

Organizer (Windows only)

and Kindle

Scan to CardMinde



C

A

Scan to Salesforce Chatter

Scan to DropBox Scan to Searchab PDF Convertor (Mac only)

Scan to iPhoto

ScanSnan Receipt

(Mac only)

Scan to

Document received Document scanned >>





-1))

Scan to Folder

Scan to Email

Scan to Print

Scan to Picture Folder (Windows only)

Scan to Evernote

Scan to

Google Docs


Scan to SugarSyn

ScanSnap Receipt

- Organise receipts: Manage all of your receipts in one place
- Extract information: Easily extract data from receipts
- Efficient tax and expense filing: Export in CSV format

ScanSnap Sync

ScanSnap Sync easily synchronises multiple devices: Scanned data will be synced automatically through your chosen cloud service.



Enhanced scanning environment centred around a new "GI" image processing engine



The iX500 comes with an inbuilt dual core CPU that takes ScanSnap to that next performance level

- Scan wirelessly to a PC or Mac as well as to a smart device
- Enhanced scanning speeds independent of target device and connectivity
- Offers a paper feeding performance that you would expect with a high speed, high volume device, enhanced through USB 3.0 support

Scan via WiFi to your devices



The iX500 now offers the unique ability to link directly with your PC, Mac, iPad[®], iPhone[®], Android[™] and Kindle[™] devices via a WiFi connection.

Fitted with a GI processing engine the iX500 means that users can now wirelessly operate the scanner via their Smart Device and the ScanSnap Connect Application^{*} creating high quality scanned images that can be saved to the smart device, edited. retrieved at a later date and distributed.

* ScanSnap Connect Application is available as a free download from the official application distribution service of the smart device (Google Play, Apple App Store and Amazon App Store).

ScanSnap Cloud Takes paper directly to your cloud New! Now featuring searchable PDFs.

Are you a regular user of cloud services like Dropbox, Google Drive, Evernote or similar? Then ScanSnap Cloud is the go-to solution for your documents, business cards, receipts and photos. Simply scan, or use your smartphone's camera, and ScanSnap Cloud will identify the type of content and route it to your preferred cloud service. No PC required.



ScanSnap iX500 Specifications

Model		ScanSnap iX500		
Model Supported operating systems		Scansnap IXSUU Supports Windows and Mac OS, see http://scansnap.fujitsu.com/q-support/en for further information	*1 Scanning speeds may vary due to the	
Supported operating systems Scanner type		ADF (automatic document feeder)	system environment used *2 Documents measuring approximately	
/		Simplex / Duplex scanning, Colour / Greyscale / Mono / Automatic (colour / greyscale / mono detection) ^{*3}	148 mm in length or less are scanned in	
Scanning modes		CIS (contact image sensor) x 2	"Best mode", while other documents are	
Image sensor Light source		3 Colour LED (red / green / blue)	scanned in "Better mode"	
Light source	Auto mode*2	Storial ELD (red / green / bide) Simplex: 25 ppm, Duplex: 50 ipm	*3 Only computer connection	
	Normal mode	Simplex (colour / greyscale 150 dpi) (mono 300 dpi): 25 ppm, Duplex (colour / greyscale 150 dpi) (mono 300 dpi): 50 ipm	*4 The iX500 is capable of scanning	
Scanning speed ^{*1}	Better mode	Simplex (colour / greyscale 150 dpi) (mono 300 dpi): 25 ppm, Duplex (colour / greyscale 150 dpi) (mono 300 dpi): 50 ipm Simplex (colour / greyscale 200 dpi) (mono 400 dpi): 25 ppm, Duplex (colour / greyscale 200 dpi) (mono 400 dpi): 50 ipm	documents that exceed A4 size in length. This function is available for all modes	
(A4 Portrait)	Best mode	Simplex (colour / greyscale 200 dpi) (mono 600 dpi): 25 ppm, Duplex (colour / greyscale 200 dpi) (mono 600 dpi): 50 ipm Simplex (colour / greyscale 300 dpi) (mono 600 dpi): 25 ppm, Duplex (colour / greyscale 300 dpi) (mono 600 dpi): 50 ipm	except Excellent mode	
	Excellent mode*3	Simplex (colour / greyscale soo dpi) (mono doo dpi). 25 ppm, Duplex (colour / greyscale soo dpi) (mono doo dpi). 50 pm Simplex (colour / greyscale 600 dpi) (mono 1,200 dpi): 7 ppm, Duplex (colour / greyscale 600 dpi) (mono 1,200 dpi): 14 ipm	*5 Maximum capacity varies, depending upon	
	Excellent mode -		paper weight	
	Normal mode without carrier sheet	A4, A5, A6, B5, B6, business card, postcard, letter, legal and custom sizes Minimum : 50.8 x 50.8 mm / Maximum : 216 x 360 mm / Automatically recognises document size	*6 Some computers may not recognise the	
Document size	Normal mode with carrier sheet*3	Use of a carrier sheet permits the scanning of A3, B4, double letter and photographs as well as the document sizes that are listed above	iX500 when it is connected to a USB 3.0	
	Long paper scanning ^{*4}	se of a carrier sneet permits the scanning of A3, b4, double retter and photographs as well as the document sizes that are insted above 863 mm in length	port. In this case, please use a USB 2.0 port	
Long paper scanning		40 to 209 g/m² / A8 size: 127 to 209 g/m²	*7 Only Android™ / iOS in case of WiFi connection	
Recommended paper weight		Cards can be scanned (portrait / landscape), non-embossed : 0.76 mm or less / embossed (ISO7810 conforming)	*8 Values depends on country	
Paper chute capacity*5		50 sheets (A4: 80 q/m ²)	*9 IEEE802.1X Authentication is not supported *10 Excluding the stacker and other external	
Interface*6		USB 3.0 (USB 2.0, USB 1.1 Supported)	attachments	
	Observed standards	IEEE802.11b / IEEE802.11g / IEEE802.11n	*11 PFU LIMITED, a Fujitsu company, has	
	Communication mode		determined that this product meets RoHS	
	Frequency*8	2.412 GHz to 2.462 GHz / 2.412 GHz to 2.472 GHz	requirements (2011/65/EU)	
	nequency		*12 PFU LIMITED, a Fujitsu company, has	
WiFi interface*7	Communication distance	Indoors, 50 m (recommended: indoors, within 25 m) May vary depending on the surrounding environment and the access point to be connected	determined that this product meets Ecodesign Directive requirements (2009/125/EC)	
		WPA-PSK (TKIP/AES/AUTO), WPA2-PSK (AES), WPA-PSK, WPA2-PSK (AES/AUTO), WPA (TKIP/AES/AUTO), WPA2 (AES), WPA,	¹³ The software is available to be downloaded	
	Security ^{*9}	WPA2 (AES/AUTO), SharedKey (WEP 64-bit/128-bit), 802.1X (WEP 64-bit/128-bit)	from the ScanSnap website	
	Easy installation	WPS2.0 supported (button / PIN code)	http://scansnap.fujitsu.com/g-support/en/	
Power requirements		AC 100 to 240V. 50 / 60Hz	*14 Available via an online update	
•	USB connection	Operating: 20W or less (Sleep mode: 1.6W or less) Auto Standby (OFF) mode: 0.4W or less	*15 Geographic Limitations may apply to Service Plans and Service Levels in some countries.	
Power consumption	WiFi connection	Operating: 20W or less (Sleep mode: 2.5W or less) Auto Standby (OFF) mode: 0.4W or less	Plans and Service Levels in some countries. Please contact us for more information	
Operating environment		Temperature: 5 to 35 °C / Relative humidity: 20 to 80 % (Non-condensing)	These contact as for more information	
Dimensions (W x D x H) ^{*10} / We	viaht .	292 x 159 x 168 mm / 3kg		
Environmental compliance		ENERGY STAR® / RoHS ^{*11} / Ecodesign ^{*12}		
Driver		Specific driver (Does not support TWAIN / ISIS™)		
Other Double-feed detection		Ultrasonic double-feed detection sensor		
Standard Warranty (included in the price of the product)		1 Year Standard Warranty: Advance Exchange - Next Business Day		
Standard Warranty (included in the price of the product)		ו וכמו שנמותמות אימוזמוונץ. התאמותב באכוומוועב - וזכאר שטאווכאש שמא	1	

	Purpose	Software	iOS	Android	PC Compatible	MAC Compatible
	Scanner driver	ScanSnap Manager			1	1
File management Business card management		ScanSnap Organizer (ScanSnap Sync*14)			1	
		CardMinder™			1	1
Software PDF editing	DDL aditing	Nuance [®] Power PDF Standard			1	
	PDF equiling	Nuance [®] PDF Converter for Mac				1
	Text recognition	ABBYY FineReader for ScanSnap [™]			1	1
	ECM linkage software	Scan to Microsoft [®] SharePoint ^{®*13}			1	
	Receipt Management	ScanSnap Receipt ^{*14}			1	1
	Sync to your devices	ScanSnap Connect App (ScanSnap Sync ^{*14})	1	1	1	1

urgy	FNFRGY STAR®
DOV OTAD	
RGY STAR	compliant

ScanSnap Cloud	Box, Dropbox, Ev	x, Dropbox, Evernote, Expensify, Google Drive, Google Photos, OneDrive, Shoeboxed, Concur Expense, QuickBooks Online		
Consumables and options	Order by Part Number	Remarks		
Consumable kit	CON-3656-001A	1 x pick roller; 1 x brake roller; total maximum lifetime 200,000 documents or 1 year		
Cleaning kit	SC-CLE-SS	24 cleaning fluid impregnated wipes		
Carrier sheets	PA03360-0013	5 carrier sheets		
ScanSnap bag PA03951-0651		Intended for ScanSnap iX500, S1500, S1500M, S510, S510M, S500, S500M		
Optional Service Plans ^{*15}	Order by Part Number	Service Description		
Extended Warranty	U3-EXTW-DKT	3 Year Extended Warranty: Advance Exchange - Next Business Day		

Advance Exchange = Replacement of the faulty scanner with a new or as new unit.

Software

All names, manufacturer names, brand and product designations are subject to special trademark rights and are manufacturer's trademarks and/or registered brands of their respective owners. All indications are non-binding. Technical data is subject to change without prior notification. Product specifications are subject to change without prior notice due to product modification. Apple iPad, iPhone, iPod touch and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

PFU (EMEA) Limited PFU (EMEA) Limited PFU (EMEA) Limited **PFU (EMEA) Limited** Camino Cerro de los Gamos, 1 28224 Pozuelo de Alarcón Hayes Park Central Frankfurter Ring 211 Viale Monza, 259 80807 Munich Hayes End Road, Hayes 20126 Milano (MI) Middlesex UB4 8FE Madrid Germany Italy United Kingdom Spain Tel: +44 (0)20 8573 4444 Tel: +49 (0)89 32378 0 Tel: +39 02 26294 1 www.ScanSnapit.com FUÏTSU

Scans To